

Declaration of Performance, DoP 402/2023.1

1. Unique identification code of the product-type: KL6000-GALV, KL500-GALV, KG700-GALV, KG700-GALV-DIV, S16-GALV
2. Intended use: For the fixation of non-load-bearing plasterboard systems
3. Manufacturer: ITW Befestigungssysteme GmbH, Carl-Zeiss-Straße 19, D-30966 Hemmingen
5. System of AVCP: 4
- 6.a) Harmonised standard: EN 14566:2008+A1:2009
Notified body / Test laboratory: ITW Construction Products, Wood Fasteners R&D Center, Gl. Banegaardsvej 25, DK-5500 Middelfart
7. Declared performances:

Identification code	Wire diameter [mm]	Staple length [mm]	Max Crown width [mm]	Corrosion Protection	Material	Min Tensile strength [N/mm ²]	Withdrawal Force	Flexural Strength	Reaction to Fire
KL6000-GALV	1,18	30	5,20	Electrogalv. 3µm	Steel wire	950	Pass	Pass	A1
KL500-GALV	1,15	30-40	11,00				Pass	Pass	A1
KG700-GALV	1,53	38-64	11,30	Electrogalv. 12µm		900	Pass	Pass	A1
KG700-GALV-DIV		18-35	11,30				Pass	Pass	A1
S16-GALV		38-50	12,80	Electrogalv. 3µm			Pass	Pass	A1

All staples are resin coated.

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Torsten Eckstein, General Manager
Hemmingen, 2023-01-25